

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1685	((713/151-154) or (716/166) or (713/100)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/01/08 13:23
L2	82690	(bypass\$3 replac\$3) near4 (operat\$3 system\$1 kernel\$1 os window\$1 linux\$2)	USPAT; IBM_TDB	OR	OFF	2007/01/08 13:24
L3	38289	non-api (non near2 api\$1) (non near3 application\$1) non-application\$1 non-window\$1 non-linux\$1 (non near2 window\$1) (non near2 linux)	USPAT; IBM_TDB	OR	OFF	2007/01/08 13:23
L4	216	I1 and (I2 I3)	USPAT; IBM_TDB	OR	OFF	2007/01/08 13:24
L5	182	I4 and interfac\$3	USPAT; IBM_TDB	OR	OFF	2007/01/08 13:24
L6	40	I5 and (filter\$3 filtrat\$4)	USPAT; IBM_TDB	OR	OFF	2007/01/08 13:24

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10783	((709/200) or (709/203) or (709/223) or (709/225) or (709/229) or (726/1-4) or (726/9) or (726/13) or (726/17) or (726/21) or (380/225) or (380/247) or (380/270)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L2	8646	L1 and (interfac\$3)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L3	249657	(operat\$4 near3 (portion\$1 some part\$2))	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L4	49599	(data\$1 information\$1 file\$1 packet\$1 message\$1) near4 (filter\$3 filtrat\$4)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L5	8767	(operat\$4 near6 interfac\$3 near6 (pass\$3 through bypass\$4))	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L6	914	L5 and L4	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L7	745	L6 and (polic\$3 rule\$1 condition\$1)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L8	307	L7 and L3	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L9	132920	(predetermin\$6 pre-determin\$6 correspond\$3 known) near4 (polic\$3 rule\$1 condition\$1)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L10	40	L8 and L9	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L11	108468	(application\$1 communicat\$4 network\$3) near3 (interfac\$3)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L12	121839	(operat\$4 window\$1 kernel\$1) near4 (pass\$3 bypass\$4)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L13	1636	(application\$1 program\$3 module\$1) near3 (data\$1 information\$1) near4 (filter\$3 filtrat\$4)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L14	221	L12 and L13	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L15	111	L14 and L11	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L16	35	L15 and token\$1	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L17	1473	(data\$1 information\$1 file\$1 packet\$1 message\$1) near4 (filter\$3 filtrat\$4) near4 (application\$1)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L18	9066	(without\$1.no\$2) near3 (kernel\$1 (operating near2 system\$1))	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02

## EAST Search History

L19	41	L18 and L17	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L20	30	L19 and (polic\$3 rule\$1 condition\$1)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L21	409892	(operat\$4 near6 (portion\$1 some part\$2))	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L22	34643	interfac\$4 near4 (application\$1)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L23	2375	L22 and L9	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L24	1617	(operat\$4 near3 (system\$1 window\$1 kernel\$1)) near6 (bypass\$4)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L25	124	L24 and L22	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L26	73211	(application\$1 program\$3 module\$1 data\$1 information\$1) near4 (filter\$3 filtrat\$4)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L27	2320	L2 and (filter\$3 filtrat\$4)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L28	1094	L27 and L26	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L29	9773	(operat\$4 window\$1 kernel\$1) near6 interfac\$3 near6 (pass\$3 through bypass\$4)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L30	447096	(operat\$4 window\$1 kernel\$1) near4 (portion\$1 part\$2 substantial\$2 some)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L31	246933	(operat\$4 window\$1 kernel\$1) near4 (interven\$4 bypass\$3 without\$1)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L32	263	L13 and L31	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L33	263	L32 and L26	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L34	20	L25 and (filter\$3 filtrat\$4)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L35	16	interfac\$4 near8 L24	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L36	73	L28 and L29	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L37	82690	(bypass\$3 replac\$3) near4 (operat\$3 system\$1 kernel\$1 os window\$1 linux\$2)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L38	38289	non-api (non near2 api\$1) (non near3 application\$1) non-application\$1 non-window\$1 non-linux\$1 (non near2 window\$1) (non near2 linux)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02

## EAST Search History

L39	636	(filter\$3 filtrat\$4) near3 (application\$1 software\$1) near2 (data\$1 information\$1)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L40	1847	L37 and L38	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L41	11	L40 and L39	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L42	1552	((719/319) or (719/320) or (719/321) or (719/322) or (719/323) or (719/324) or (719/325) or (719/326) or (719/327) or (719/328) or (719/329)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L43	148	L42 and L37	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L44	25	L43 and filter\$1	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02
L46	30	L43 and (filter\$3 filtrat\$4)	USPAT; IBM_TDB	OR	OFF	2007/01/08 12:02